



Identify what matters

## Card Lamination Module



EASY TO USE

ENHANCED CARD  
SECURITY & DURABILITY

WIDE CHOICE OF  
VARNISHES & PATCHES



OPTION



## Card Lamination Module

### The Essential Protection for all your Cards.

#### Increase the durability and security of your personalized cards.

The Evolis lamination module provides **additional protection for your** graphically personalized and encoded cards.

It protects your printed cards from wear and tear (dust, UV, rubbing, scratching, etc.) and the risks of fraud and forgery. **Increasing their lifespan and security to up to 10 years.**

Depending on your needs and desired level of protection, you can choose from various types of films and security elements, which can be combined together.

#### An easy-to-use solution that is built to last.

The lamination module, like all Evolis products, is developed to offer you the longest possible lifespan.

**Installation and use of your lamination module is very simple.** It benefits from the software environment developed by Evolis, known for its user-friendly interface and ease of use. It includes an LED panel or LCD screen\* for real-time access to notifications.

The lamination module can be used **alone, in conjunction with a card printer, or by installing two modules in a row\***.



# Features & Benefits

All the details  
on the features of the  
card lamination module



## High-performance card lamination

- Up to 215 cards per hour\*
- Integrated **card flattener**
- **Single-sided** and **double-sided** lamination

## Efficient card management

- By combining the lamination module with a card printer, personalization and lamination are carried out in a single pass
- With Agilia: **200-card feeder** and **card-to-card loading**
- With Primacy 2: **100 or 200-card feeder**
- Stand-alone mode: **card-to-card loading**
- 100-card hopper included

## Wide choice of films

- **Complete range of high-capacity varnishes and patches**, with or without safety features
- **Generic or customized holograms\***
- Laminated to a **thickness of 30 mil**

## Intuitive use

- **LED panel** or **LCD screen\*** with **QR code** display for user guidance
- Automatic recognition of consumables
- Evolis Premium Suite with optimized user experience on **Windows & Mac\***

## Multiple configuration options

- One or two lamination modules\* **associated with a card printer**.  
*The lamination module can be added after purchase of the printer.*
- **Stand-alone** laminator module

Lamination module combined with  
**Primacy 2**



Lamination module combined with  
**Agilia**



## Robust and reliable

- 3-year warranty, 1-year extension available

\*optional or depending on configuration

## A complete range of consumables

Evolis High Trust consumables guarantee optimum lamination **quality and long life** for your Evolis card lamination module.

With a **wide choice of cards, ribbons, films and cleaning kits**, you're sure to find the right product for your needs.

## Customized holograms for even greater security.

In addition to generic holographic films, Evolis can also create **customized holograms** to enhance card security. Several designs can be combined to suit every need. **Available for varnishes** (1,200 prints/roll) **and patches** (600 prints/roll), **from 25 rolls.**

# Technical Specifications

## GENERAL FEATURES

- Single and double-sided lamination
- Standard built-in card flattener
- Operates while connected to Primacy, Primacy 2, Agilia or in standalone mode

## LAMINATION PERFORMANCES

- Single-side: up to 215 cards/hour\*
  - Double-side: up to 110 cards/hour\*
- Printing and lamination speeds depend on the printer associated with the lamination module.

## INTERFACES

- Infrared (no cable): connection kit with Primacy, Primacy 2 or Agilia included
- USB for the CLM in standalone mode (USB cable not provided - reference A5017)

## CARD MANAGEMENT AND SPECIFICATIONS

- 100-card feeder (0.76 mm - 30 mil) from Primacy/Primacy 2, optional 200-card feeder from Agilia or Primacy 2
- Hopper capacity: 100 cards (0.76 mm - 30 mil)
- Manual card-to-card issue in stand-alone mode
- Card thickness: 0.76 mm (30 mil)
- Card types: PVC cards, composite PVC cards, cards PET, polycarbonate cards, special varnishes
- Card format : ISO CR80 - ISO 7810 (53.98 mm x 85.60 mm)

## DISPLAY

- LEDs with cleaning alerts, ribbon finished/almost finished alerts, and more.
- Optional LCD display on Primacy and Primacy 2

## SECURITY

- Space for Kensington® security lock

## EVOLIS HIGH TRUST® RIBBONS

To maximize the quality and service life of printed cards and the overall performance of the lamination module, use Evolis High Trust® films.

- Automatic recognition and setting
- Color matching for easy installation
- Films available:
  - Transparent patch (0.5 or 1 mil): 600 prints / roll
  - Holographic patch (0.6 or 1 mil): 600 prints / roll
  - Contact chip cutting patch (0.5 or 1 mil): 600 prints / roll
  - Alternating 1 mil transparent patches (600 prints / roll) with different patch combinations possible: full-card patch / patch with cut-out for magnetic stripe card / patch with cut-out for contact smart card
  - Clear varnish: 1,200 prints / roll
  - Continuous holographic varnish: 1,200 prints / roll
  - Holographic varnishes: 1,200 prints / roll
  - Other films on request
- List of laminating films available at [www.evolis.com](http://www.evolis.com)

## ONSITE UPGRADE OPTION

- Installation of a second CLM lamination module to laminate the two sides of the card with two different films, available only with Primacy 2

## SOFTWARE



- Evolis Premium Suite for complete management of the lamination module (print drivers, administration and settings, user notifications). Windows and Mac OS\* compatible.
- Evolis SDK (Software Development Kit) for complete management and optimal integration into applications and IT systems

## WARRANTY

- 3-year warranty
- Warranty extension available as an option

\*Depending on configuration



## A GLOBAL PROVIDER OF IDENTIFICATION SOLUTIONS

- ◉ **Worldwide leader** in card personalization systems for decentralized card issuance
- ◉ **International expertise and local support** through a network of 3,000 partners throughout the world
- ◉ A unique ability to respond to specific customer specifications with **a project department dedicated to the development and implementation of customized solutions**
- ◉ **Evolis is ISO 9001 certified, reflecting our global commitment to quality and continuous improvement**

## HEAD OFFICE / EUROPE - MIDDLE EAST - AFRICA

Evolis - 14 avenue de la Fontaine - ZI Angers-Beaucouzé  
49070 - Beaucouzé - FRANCE  
T +33 (0) 241 367 606 - F +33 (0) 241 367 612 - [info@evolis.com](mailto:info@evolis.com)

## USA - CANADA

Evolis Inc. - Providence - RI - USA - [evolisnortham@evolis.com](mailto:evolisnortham@evolis.com)

## LATIN AMERICA

Evolis Inc. - Fort Lauderdale - FL - USA - [evolisinc@evolis.com](mailto:evolisinc@evolis.com)

## ASIA PACIFIC

Evolis Asia Pte Ltd - SINGAPORE - [evolisasia@evolis.com](mailto:evolisasia@evolis.com)

## CHINA

Evolis China - Shanghai - [evolischina@evolis.com](mailto:evolischina@evolis.com)

## INDIA

Evolis India - Bombay - [evolisindia@evolis.com](mailto:evolisindia@evolis.com)

[www.evolis.com](http://www.evolis.com)